
COMFORT CRUISER CLASSIC 26" (\$1,995.00 to \$2,495.00) The Comfort Cruiser is the original Pedego. It's been turning heads and making people smile for ten years running. Notes

FRAME OPTIONS AND COLORS



When you buy a Pedego, you're investing in:



The peace of mind of an industry leading five year warranty




Smart design and exceptional quality that lasts



Friendly customer care that goes the extra mile



KEY FEATURES



MADE FOR YOU

The first thing you notice when you ride a Comfort Cruiser is how comfortable you feel. You'll swear it was made just for you – because it was!

USER-FRIENDLY

The Comfort Cruiser is fully loaded with user-friendly features that make riding even more fun. We thought of everything!





BREATHTAKING PERFORMANCE

- A whisper quiet, 500 watt motor delivers best in class acceleration and hill climbing. The sensation of power it gives you is exhilarating.

- A state-of-the-art 36 Volt battery uses the same advanced lithium-ion cells as an electric car. It can take you up to 45 miles on about 10 cents worth of electricity.



SMALL DETAILS MAKE A BIG DIFFERENCE



1. Comfort & Style Cruiser frame geometry provides a comfortable, upright riding position.



2. Relaxed Handlebars Wide, swept back handlebars

allow you to sit back and relax.



4. Rear Light

4

Built-in and rear light for your safety and convenience.



5. Quality Components

Disc brakes, seven gears, sturdy kickstand, heavy-duty spokes, and more.



3. Comfy Seat Soft saddle provides cushioning where it matters most.



6. PedalSense®

Twist-and-go throttle, 5 levels of pedal assist, and LCD display with USB charger.



SPECIFICATIONS

Electronics	
MOTOR	SILVER 36V BRUSHLESS GEARED REAR HUB MOTOR; 500 WATT NOMINAL POWER RATING; 35NM TORQUE; QUICK DISCONNECT CABLE WITH WATERPROOF CONNECTION.
BATTERY	36 VOLT 10 OR 15 AMP HOUR WITH PREMIUM LITHIUM ION 18650 CELLS;
CHARGER	3 AMP SMART CHARGER WITH INTERNAL FAN AND CHARGE INDICATOR LIGHT.
CONTROLLER	36 VOLT 18 AMP SINE WAVE CONTROLLER WITH CUSTOM PEDALSENSE® SOFTWARE AND WATERPROOF CONNECTIONS.
THROTTLE	TWIST AND GO THROTTLE WITH THREADED WATERPROOF CONNECTION.
TOP SPEED	20 MPH WITH MOTOR ASSISTANCE ONLY.
PEDALSENSE®	FREE RIDE MODE (NO POWER), FIVE LEVELS OF PEDAL ASSIST WITH THROTTLE OVERRIDE, AND THROTTLE ONLY MODE
DISPLAY	2.5" BACKLIT LCD SCREEN; 3 BUTTONS TO CONTROL ELECTRONICS, TOGGLE INFO DISPLAYED, AND CUSTOMIZE SETTINGS; USB CHARGING PORT; WATERPROOF THREADED CONNECTION; CUSTOM PEDALSENSE® SOFTWARE

Drivetrain

DERAILLEUR	SHIMANO ACERA RD-M360 7-SPEED, FULL METAL CONSTRUCTION AND TEFLON COATED BUSHINGS.
CASSETTE	SHIMANO HYPERGLIDE HG20 7 SPEED 12-32T; SMOOTH, LIGHT AND RELIABLE SHIFTING PERFORMANCE.
SHIFTER	SHIMANO FT55 TOURNEY RIGHT HAND THUMB SHIFTER WITH EASY TO READ GEAR DISPLAY.
BOTTOM BRACKET	68MM x 127.5MM SQUARE TAPER SPINDLE WITH SEALED CARTRIDGE BEARINGS; STEEL CUPS AND BODY.
CHAIN	SHIMANO HG40 1/2"x3/32" 128 LINKS WITH INNER PLATE CHAMFERING.
CRANK	SILVER 3 PIECE CRANK WITH 3/32" 44T INTEGRATED CHAINRING; 170MM FORGED ALUMINUM CRANK ARMS.
PEDALS	SILVER PEDEGO ALUMINUM PLATFORM PEDAL; 9/16" SPINDLE; POLYMER DU BUSHING; INTEGRATED PEDAL REFLECTORS.



SPECIFICATIONS

Brakes

CALIPERS	SHIMANO BR-M375 MECHANICAL DISC BRAKES; INTUITIVE EASY TO USE ADJUSTABILITY; 5MM HEX INBOARD PAD ADJUSTMENT; INTEGRATED CABLE STOP WITH BARREL ADJUSTER.
LEVERS	TEKTRO ERGONOMIC LEVER WITH RUBBER FINGER PADDING; INTEGRATED LEFT HAND BELL; INTEGRATED MOTOR CUT OFF SWITCH FOR MAXIMUM SAFETY.
PADS	SHIMANO RESIN WITH STEEL BACKING PLATE; OE QUALITY FOR NO-COMPROMISE DISC BRAKE PERFORMANCE.
ROTORS	SHIMANO SM-RT26; 180MM DIAMETER; ANTI LOOSENING WASHERS FOR QUICK AND SECURE ASSEMBLY; DESIGNED FOR RESIN PADS.

Components

FRAME	6061-T6 ALUMINUM ALLOY; INTEGRATED REINFORCED REAR RACK FOR BATTERY AND STORAGE; INTERNAL CABLE AND WIRE ROUTING.
FORK	24" OR 26" RIGID CHROMOLY STEEL; 1 1/3" THREADED STEERER TUBE; DISC BRAKE AND FENDER MOUNTS.
HEADSET	SILVER 1 1/8" THREADED; EC34/28.6-26TPI EC34/30.
SEATPOST	SILVER 28.6MM x 300MM RIGID SEATPOST.
SADDLE	STANDARD: CRUISER STYLE SADDLE; OPTIONAL: EXTRA WIDE CRUISER STYLE SADDLE WITH SOFT FOAM; REAR FACING PEDEGO LOGO; 265MM L x 265MM W.
RIMS	24" OR 26" EXTRA STRENGTH DOUBLE WALL LIGHTWEIGHT ALUMINUM ALLOY; 12G X 36 HOLE.
SPOKES	SILVER HEAVY DUTY 12 GAUGE STAINLESS STEEL SPOKES WITH BRASS NIPPLES.
GRIPS	STANDARD: BLACK WEAR RESISTANT PEDEGO GRIPS OPTIONAL: PEDEGO SYNTHETIC LEATHER GRIP WITH HAND STITCHING AND FOAM PADDING; COLOR MATCHED BALLOON PACKAGE.
HANDLEBAR	SILVER CRUISER STYLE; HI-TEN STEEL; 25.4MM STEM CLAMP DIAMETER; 26" CLASSIC 690MM WIDTH / 26" STEP THRU 620MM WIDTH / 24" STEP THRU 580MM WIDTH.
STEM	SILVER ALUMINUM QUILL STYLE; 100MM LENGTH; 30 DEGREE RISE; 25.4MM HANDLEBAR CLAMP DIAMETER; HEIGHT ADJUSTABLE 0-60MM; FOR 1 ½" (28.6MM) THREADED STEERER TUBE.
TIRES	STANDARD: KENDA WHITE WALL 24" x 2.125" OR 26" x 2.3"; OPTIONAL: SCHWALBE FAT FRANK 26" x 2.35" WITH K-GUARD KEVLAR FLAT PROTECTION OR SCHWALBE BIG APPLE 24" x 2.0" WITH K-GUARD KEVLAR FLAT PROTECTION; SLIME INNER TUBE SEALANT; SCHRADER VALVE.



SPECIFICATIONS


Extras

LIGHTS	REAR: LED BUILT INTO BATTERY; POWERED AND CONTROLLED BY MAIN BATTERY VIA PUSH BUTTON.
KICKSTAND	SILVER ALUMINUM ALLOY CENTER KICKSTAND; ADJUSTABLE LENGTH COMPOSITE FOOT.
TOOL KIT	CUSTOM PEDEGO TOOL KIT: 6" ADJUSTABLE WRENCH (UP TO 15MM), 12/13G SPOKE WRENCH, T25 TORX WRENCH, 6MM HEX WRENCH, 5MM HEX WRENCH WITH #2 PHILLIPS SCREWDRIVER, 4MM HEX WRENCH.
Weight	
BIKE (NO BATTERY)	STEP TRHU 26": 51.4 LB; CLASSIC 26": 51.4 LB.
BATTERY	36V/15Ah: 7.6 LB; 36V/10Ah: 7 LB.

*All bicycle weights do not include a battery. Due to manufacturing tolerances of the individual components the overall bike weight may vary +/- 5%.

DIMENSIONS


Comfort Cruiser Classic 26"






DIMENSIONS

Comfort Cruiser Step-Thru 24"



Comfort Cruiser Step-Thru 26"



REAR HEIGHT 29" (737mm)

- 2 HANDLEBAR WIDTH 23" (584mm)
- **3** SEAT TUBE TO HANDSET 22" (559mm)
- 4 SEAT CLAMP TO CRANK 14" (356mm)
- 5 SEAT CLAMP TO GROUND 24" (610mm)
- 6 AXLE TO AXLE 45" (1143mm)
- **END TO END 69**" (1753mm)

- **REAR HEIGHT** 31" (787mm)
- 2 HANDLEBAR WIDTH 25" (635mm)
- **3 SEAT TUBE TO HANDSET 24.25**" (616mm)
- SEAT CLAMP TO CRANK 16" (406mm)
- **5** SEAT CLAMP TO GROUND 27" (686mm)
- 6 AXLE TO AXLE 48" (1219mm)
- 7 END TO END 75" (19050mm)

